Kernel Migrator for SharePoint

Configuration Guide

Table of Contents

Contents

1. System Requirements	4
1.1 Minimum System Requirements	
1.2 Required Operating Systems	
1.3 Supported Virtual Environment	
1.4 Supported SharePoint Servers	
1.5 Supported Exchange Servers	
1.6 Supported Outlook Versions	
1.7 Prerequisites	
1.8 Prerequisites for Exchange Server	
2. User Rights	
2.1 Local System Rights	
2.2 Exchange Server Rights	
2.3 Office 365 Rights	
3. Adding Destination	
3.1 Adding SharePoint Server	
3.2 Adding Office 365	
3.3 Adding Microsoft Teams	
3.4 Adding OneDrive for Business as Destination	
3.5 Adding Google Drive as destination	
4. Adding Source	
4.1 Local File System	
4.2 Remote File System	
4.3 Add Public Folders	
4.3.1 Connect to Live Exchange	
4.3.2 Connect to Exchange via Existing/New Outlook Profile	
4.3.3 Configure Profile manually to connect to Exchange	
4.4 Add SharePoint Server as Source	61
4.5 Adding Microsoft Teams as Source	

4.6 Adding OneDrive for Business as Source	71
4.7 Adding Google Drive as Source	73
5. Software Settings	75
5.1 General	75
5.2 Upload Settings (File System)	75
1. Copy Settings	
2. Permission Settings	79
5.3 Upload Settings (Public Folder)	83
5.4 Upload Settings (SharePoint)	87
1. Copy Settings - SharePoint	87
2. Permission Settings – SharePoint	92
3. Site Settings - SharePoint	94
4. List/Library Options – SharePoint	96
5.5 Download Settings	97
5.6 Invalid Characters	102
5.7 Invalid Ending	104
6. Conclusion	106

1. System Requirements

Before you start installing Kernel Migrator for SharePoint, make sure that your computer meets the following requirements.

1.1 Minimum System Requirements

- Pentium 4 Class or higher Processor
- Minimum 2 GB RAM
- 1 GB free space for the installation and data migration

1.2 Required Operating Systems

One of the following Windows operating systems (32/64-bit version) is required.

- Windows XP
- Windows 7
- Windows 8/8.1
- Windows 10
- Windows 11
- Windows Server 2003
- Windows Server 2003 R2
- Windows Server 2008
- Windows Server 2008 R2
- Windows Server 2012
- Windows Server 2012 R2
- Windows Server 2016

1.3 Supported Virtual Environment

- Hyper-V Server 2008
- Hyper-V Server 2008 R2
- Hyper-V Server 2012
- Hyper-V Server 2012 R2
- VMware ESX Server
- VMware ESXi Server
 - © 2021 KernelApps Pvt. Ltd.

• Microsoft Virtual PC

1.4 Supported SharePoint Servers

- SharePoint Foundation 2010
 - SharePoint Server 2010
- SharePoint Foundation 2013
- SharePoint Server 2013
- SharePoint Server 2016
- SharePoint Online (Office 365)
- Sharepoint Server 2019

1.5 Supported Exchange Servers

- Exchange Server 2000
- Exchange Server 2003
- Exchange Server 2007
- Exchange Server 2010
- Exchange Server 2013
- Exchange Server 2016
- Exchange Online (Office 365)
- Exchange Server 2019

1.6 Supported Outlook Versions

• Outlook 2003 / Outlook 2007 / Outlook 2010 / Outlook 2013 / Outlook 2016 / Outlook 2019

1.7 Prerequisites

- .NET Framework 4.0 or later
- Microsoft Excel 2003 or any other Spreadsheet software (required only to view report)

1.8 Prerequisites for Exchange Server

Other required prerequisites to establish the connection with different Exchange Servers are listed herein below.

Exchange Server	Supported Outlook Versions
Exchange Server 2000	Outlook 2003
	Outlook 2007
Exchange Server 2003	Outlook 2003
	Outlook 2007
	Outlook 2010
Exchange Server 2007	Outlook 2003
	Outlook 2007
	Outlook 2010
	Outlook 2013
Exchange Server 2010	Outlook 2003
	Outlook 2007
	Outlook 2010
	Outlook 2013
Exchange Server 2013	Outlook 2013
	• Outlook 2007 Service Pack 3 with the Outlook 2007 November 2012 update (12.0.6665.5000)
	• Outlook 2010 Service Pack 1 with the Outlook 2010 November 2012 update (14.0.6126.5000)
Exchange Server 2016	• Outlook 2010/2013
Exchange Server 2019	• Outlook 2016/2019
Office 365	Outlook 2007 SP2
	Outlook 2010 SP1 for 64-bit

- Outlook 2010 14.0.7106.5003 for 32-bit
- Outlook 2013

NOTE: Connecting to Office 365 as destination requires you to select a Global Administrator User Mailbox, which has full access to all mailboxes. You can connect to Office 365 and Archive Mailboxes through Outlook Profile only.

2. User Rights

To install and work with Kernel Migrator for SharePoint, you need to have appropriate rights over the required file system(s), Exchange Server(s), and SharePoint Server(s).

2.1 Local System Rights

The user should have following permissions on the local computer on which the software is installed:

- Full access permission on the drive-in which Operating System is installed-
- Read/Write permissions in the registry

Steps to assign these permissions are listed here in below.

- 1. Go to Control Panel.
- 2. Select the User Account.
- 3. Select Change Account Type.
- 4. Make user as "Administrator".
- 5. Click on Save.

Note:

Steps mentioned above may vary depending on the Windows version installed on the System. If the

User Account does not exist on the system, create a new User Account with the Administrative rights.

2.2 Exchange Server Rights

(Needed only to access Live Exchange Mailboxes)

To access live Exchange Public Folders always use an Administrator account. Also, this account should have any of these permission levels: **Owner, Publishing Editor, Editor, Author**, or **Publishing Author**.

2.3 Office 365 Rights

To access multiple Office 365's mailboxes, the user should have the following rights:



- The user should be **Global Administrator**.
- The user should be a delegate with **Full Access** permission over all the mailboxes that you intend to access in Office 365.

3. Adding Destination

You can add any SharePoint Server or Office 365 Server as the Destination.

3.1 Adding SharePoint Server

Follow the steps below to add a **SharePoint** Site. Please note that each SharePoint Site is denoted with a project name in this software.

- 1. Perform any of the following methods to start the process
 - i. Click "File" menu and click "Add New Site" item as shown below.




Figure 1: File Menu Command to add a site

- ii. Click Add New SharePoint Site button on the toolbar.
- iii. Right click the parent SharePoint Server node in the SharePoint Section and clickAdd New SharePoint Site.
- 2. Doing any of the above steps displays the following wizard.

÷	Add New Site	x
(classic/mod	Sites (classic/modern), Site Collections Iern), Web Apps, Farm, Microsoft Teams, Office 36 ffice 365 Tenants.	5
Project	1]
Site Address:]
	Rind/Add Multiple Sites	
User Name:	administrator For Sharepoint Online : Admin@domain.onmicrosoft.com]
Password:	Password]
TimeZone:	Check For Only SharePoint Server 2010	
	Select Time Zone as per SharePoint Server 2010	
	Ok Cancel	

Figure 2: Wizard to add a new Site

3. If you want the software to find and enumerate the complete Site Collection, then follow the steps below.

i. Click Find/Add Multiple Sites to access the following wizard.

å	Find Site Collection	×
Enter SharePoint Details		
SharePoint Credentials		
Central Admin URL:	For Online : e.g. (https://yourdomain-admin.sharepoint.com) For On-premise : e.g.	
Central Admin User	User Name	
Central Admin	Password	
	< <u>B</u> ack <u>N</u> ext > Cance	el

Figure 3: Wizard to find a Site Collection

ii. Enter the details like "Central Admin URL", "Username", and "Password."

4	Find Site Collection	×
Enter SharePoint Details		
SharePoint Credentials		
Central Admin URL:	https://lepidesoftware-admin.sharepoint.com/	
	For Online : e.g. (https://yourdomain-admin.sharepoint.com) For On-premise : e.g.	
Central Admin User	sudesh@lepidesoftware.onmicrosoft.com	
Central Admin	•••••	
	< <u>B</u> ack <u>N</u> ext > Cance	el

Figure 4: Inserting the details to find Site Collection

iii. Click Next. The software tries to connect to the server.

Retrieving	х
 Please wait while connecting server Cancel	

Figure 5: Attempting to connect to the server

iv. Once it is connected to SharePoint, the software displays the list of detected Web Applications.

Find Site Gelect Site Collection URL	Collectic	on		
Web Application Check All Uncheck All			Refresh	
Site Collection URL		Site Name	Accessibility	^
Enter text here	7	Enter text 🝸	Enter text	
https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site	es/Finan es/TestC es/qa es/18May es/TestG		>	~
Total : 218		(Check Accessibilit	ty
	< <u>B</u> ac	k Finish	Cance	el

Figure 6: Displaying the detected Web Applications

v. Use the checkbox to select the sites that you want to migrate and click 'Check Accessibility' button to check whether sites are accessible for usage. It will check and show their accessibility status as Success.

Find Site (Collectior	n		
elect Site Collection URL				
Web Application				
Web Application				
Check All Uncheck All			Refr	esh
Site Collection URL	S	ite Name	Accessibilit	y ^
Enter text here	Y E	nter text 🗑	Enter text .	
 https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/por https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site 	tals/Co es/Team			
 https://lepidesoftware.sharepoint.com/site 				
https://lepidesoftware.sharepoint.com/site				\sim
<				>
Total : 218			Check Access	sibility
	< <u>B</u> ack	Finish	C	ancel

Figure 7: Selecting the available sites for migration

vi. Click, Finish after selecting the sites.

Web Application			
Check All Uncheck All		Refre	sh
Site Collection URL	Site Name	Accessibility	^
Enter text here	P Enter text .	🍸 Enter text	
 https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site 	s/New0 New010010 s/0001 0001 s/CONV s/Kernel		• •

Figure 8: "Add New Site" wizard with the selected site

NOTE: We are providing the inputs directly without using "Find Site Collection" method in this test case.

- 4. Enter the desired name of the project in the first text box titled "Project Name".
- 5. Provide the URL of the SharePoint Site in the next text box titled "Site Address".

6. Enter the username and password of Administrator.

a	Add New Site
(classic/mod	Sites (classic/modern), Site Collections ern), Web Apps, Farm, Microsoft Teams, Office 365 fice 365 Tenants.
Project	Mig-Project-2
Site Address:	https://lepidesoftware.sharepoint.com/sites/Team7june
	Ind/Add Multiple Sites
User Name:	sudesh@lepidesoftware.onmicrosoft.com
user nume.	For Sharepoint Online : Admin@domain.onmicrosoft.com
Password:	•••••
	Check For Only SharePoint Server 2010
TimeZone:	
	Select Time Zone as per SharePoint Server 2010
	Ok Cancel

Figure 9: "Add New Site" wizard with the selected site

- 7. Click "OK".
- 8. The following message appears.




Figure 10: Message to add the SharePoint Server also as Source.

- 9. Click "Yes" to add this SharePoint site also as Source else click "No".
- 10. Clicking any button let software add the SharePoint Site.

Connecting Server	x
Please wait while connecting server	

Figure 11: Attempting to connect to the server

11. The provided SharePoint Site is added and displayed with the entered Project name in the Destination Section in the Left-Hand Panel. For example, mig-project-2 is the newly added node in the Destination Section as per the following image.




Figure 12: Newly added Project site

3.2 Adding Office 365

Follow the steps below to add an Office 365 Site as a destination. Please note that each Office 365 Site is denoted with a project name in this software.

- 1. Perform any of the following methods to start the process
 - i. Click "File" menu and click "Add New Site" item as shown below.

File		
*	Add New SharePoint Site	Ctrl+W
6	Add File System	Ctrl+I
6	Add Public Folder	Ctrl+R
×	Exit	

Figure 13: File Menu Command to add a site

- ii. Click Add New SharePoint Site button on the toolbar.
- iii. Right click the parent **SharePoint Server** node in the **SharePoint** Section and click

Add New SharePoint Site.

2. Doing any of the above steps displays the following wizard.

👬 Add New Sit	te 💽
Project Name:	[
Site Address:	
	💫 Find Site Collection
User Name:	administrator
Password:	Password
	Ok Cancel

Figure 14: Wizard to add a new Site

- 3. If you want the software to find and enumerate the complete Site Collection, then follow the steps below.
- i. Click Find Site Collection... to display the following wizard.

🖧 Find Site Collection		×
Enter Sharepoint Details		
Central Admin URL:	1	
User Name:	User Name	
	(e.g. user name@domain)	
Password:	Password	
	< <u>B</u> ack <u>N</u> ext > Canc	el

Figure 15: Wizard to find a Site Collection

ii. Enter the details like "Central Admin URL", "Username", and "Password."

2	Find Site Collection		x
	Enter Sharepoint Details		
	Central Admin URL:	http://ntmachine-45:74868/default.aspx	
	User Name:	Administrator@cod.com	
		(e.g. user name@domain)	
	Password:	•••••	
-		< Back Next > Canc	el

Figure 16: Inserting the details to find Site Collection

iii. Click **Next** to proceed further. The next step displays the following screen saying to connect to the server.



- . -

iv. Once it connects to Office 365, the software shows the list of Web Applications.

Web Application Name:		
Web Application URL:		
Site Collection	URL	
🔜 Devi	https://companydomain.sha	
🔜 Community	https://companydomain.sha	
🤮 PointPublishing Hub Site	https://companydomain.sha	
	https://companydomain.sha	=
🄜 raj online sites	https://companydomain.sha	
🤮 rest online	https://companydomain.sha	
🤮 Hash	https://companydomain.sha	
🔜 Sb-Site001	https://companydomain.sha	
🔜 Dev	https://companydomain.sha	
🔜 Developer	https://companydomain.sha	
:	https://companydomain.sha	-

Figure 18: Displaying the detected Web Applications

- v. Select a Site and click "Finish". The software shows the following step.
- vi. Enter the Project Name.

👬 Add New Sit	te 💽
Project Name:	Office365
Site Address:	// company domain. share point. com/sites/Developer
	Ind Site Collection
User Name:	administrator@companydomain↓onmicrosoft.com
Password:	•••••
	Ok Cancel

Figure 19: "Add New Site" wizard displays Office 365 site

NOTE: We are providing the inputs directly without using "Find Site Collection" method in this test case.

- 4. Enter the desired name of the project in the first text box titled "Project Name".
- 5. Provide the URL of the SharePoint Site in the next text box titled "Site Address".
- 6. Enter the username and password of Administrator.

👬 Add New Si	te 💌
Project Name:	Office365
Site Address:	//companydomain.sharepoint.com/sites/Developer
	Ind Site Collection
User Name:	administrator@companydomain.onmicrosoft.com
Password:	•••••
	Ok Cancel

Figure 20: "Add New Site" wizard with the selected site

- 7. Click "OK".
- 8. The following message appears.




Figure 21: Message to add the SharePoint Server also as Source.

9. Click "Yes" to add same Office 365 site as Source. You can click "No" to keep this site as Destination only.

10. Clicking any button let software process the addition of Office 365 site.



11. The provided SharePoint Site is added and displayed with the entered Project name in the Destination Section in the Left-Hand Panel. For example, Office 365 is the newly added node in the Destination Section as per the following image.

Destination	-	ņ	×
🖃 🚮 SharePoint Server			
🚋 📊 Project2			
🛓 📊 Office365			
🛓 🔚 Lists and Libraries			
🗄 🙀 SubSites			

Figure 23: Newly added Office 365 site

3.3 Adding Microsoft Teams

12. To connect Microsoft Teams in Kernel Migrator for SharePoint, you should right-click in the destination section with Microsoft Teams. Then click Add Teams.




Figure 24 - Connecting Microsoft Teams

13. Provide a project name, then a Tenant ID, Username, Client ID, and Client Secret. You can get all the information at the Azure Portal's Active Director section. At last, click Register and Connect.

	Add Teams
Project Name:	est-Team-Migration
Modern Authentica	tion while login(by using user name, client id and client secret)
Tenant ID:	.onmicrosoft.com
User Name:	sudesh@onmicrosoft.com
Client ID:	42bde755-95ad-41f2-
Client Secret:	•••••••
O Modern Authentica	ation while login(by using user name and password)
Global Admin Use	r Id:
	(e.g. admin@domain.onmicrosoft.com)
Password:	
Note: On Clicking "Reg application in MS Azur	jister and Connect" button, software will register KernelApp e to access all teams.
App Registration (More Inf	Register and Connect Cancel

Figure 25-Add Teams

14. Microsoft Teams is connected in the software as destination.




Figure 26-Microsoft-Teams-in-Destination

3.4 Adding OneDrive for Business as Destination

1. Kernel Migrator for SharePoint easily connects with cloud account for OneDrive for Business and migrates entire files and folders. To connect with the account, right-click to OneDrive for Business, then click Add OneDrive for Business.

Destination	▲ 廿 ×			
SharePoint (On-Premises/Online)				
OneDrive For Business Google Drive(Google) Microsoft Teams	Add OneDrive For Business			

Figure 27-OneDrive for Business as Source

2. Provide a project name, then a target type, Site Address, User ID, and Password for source OneDrive account. Then click OK.

<u>ه</u>	Add OneDrive For Business	x
Project Name:	New-Test-Migration	
Target Type:	Admin Tenant Account	~
Site Address:	https://lepidesoftware-admin.sharepoint.com e.g (https://domain-admin.sharepoint.com)	
User ID:	sudesh@lepidesoftware.onmicrosoft.com	
Password:	•••••	
	OK Cance	ł

Figure 28-Providing Source credentials

3. OneDrive for Business is connected, and you can expand the folders to check OneDrive documents for various accounts.

Destination 🗸 🕈	×
🔤 SharePoint (On-Premises/Online)	^
CneDrive For Business	
🖨 ᆒ New-Test-Migration	
🖮 📥 Tenant Administration	
📥 🍰 OneDrive Users	
🖶 🚨 Tarun lamba	
🗊 🚨 sudesh kumar	
🗄 🖳 John	
🗄 🖳 Paul walker	
🖶 🖳 Jason	
🕀 🖳 Peter	
🖶 🚨 Gemma Gemma	
🖶 🚨 Elie Carl	
🖶 🖳 James	
🖽 🚨 Damien	
🖶 🖳 Simon	
🖮 🚨 sandeep verma	
🖶 🚨 Lepide	
🗄 🐣 SaddamModernAuth	
🗄 🖳 Srinivasa Jonnala	~

Figure 29-Check OneDrive for Business data

3.5 Adding Google Drive as destination

There can be an unlimited Google Drive to Google Drive migration between two accounts with multiple GBs in their Drive folders. You can connect with the accounts using proper G Suite credentials.

1. Connect with Google Drive by clicking the right-click to its option. Then choose Add Google Drive.

Destination		-	ąх
SharePoint (On-Premises/Online) Concerning of the second			
Hard Microsoft Teams	4	Add Google Drive	

Figure 30-Add Google Drive

2. Enter Project Name. In the Authentication Type, input the service email address, user email address, Private P 12 key, and the selective usernames(s) using the adjacent button. Then click OK.

K Add Google Drive ×		
Enter Project name: GD-Migration		
Authentication Type		
Service Account (Business Account)	count G Suite)	
Service Email Address: nelter	stplz-do-not-delete.iam.gserviceaccount.com	
User Email Address: keme	l@fixpst.net	
Private Key Path(.p12) D:\A	tab\kemeltestplz-do-not-delete-4d569	
Select User Name(s): gaura	av@fixpst.net,gk@fixpst.net,ladss@fix	
How to create Services Account and P12 or Login Details:		
Web Authentication (Single User personal drive)		
	OK Cancel	

Figure 31-Provide Google Drive details

3. When you have connected with the Google Drive, then you can see all the account present in it.

Destination	▼ ₽ ×
SharePoint (On-Premises/Online)	
OneDrive For Business	
🞰 🖬 New-Test-Migration	
Google Drive(Google Workspace)	
GD-Migration	
🖶 🚨 gaurav@fixpst.net	
🖶 🚨 gk@fixpst.net	
🖶 🚨 ladss@fixpst.net	
🖶 🚨 shashi@fixpst.net	
🖶 🚨 kernel@fixpst.net	
🖶 🚨 support@fixpst.net	
🖶 🚨 tarun@fixpst.net	
🖶 🐣 test1@fixpst.net	
ia testing@fixpst.net	
ia user2@fixpst.net	
⊞ <mark>- Reverse and the set with the set wi</mark>	
🗄 📲 📫 Microsoft Teams	

Figure 32-Google Drive is connected

4. Adding Source

Remote File System, Public Folders of Exchange Server, and SharePoint Site can be added as the source.

4.1 Local File System

The Local File System, where the software is installed, is added as the default file system. All its local drives and folders can be used as a source to transfer the content to the destination.

4.2 Remote File System

Follow the steps below to add a remote file system,

- 1. Perform any of the following methods to start the process.
 - i. Click "File" menu and click "Add File System" as shown below




Figure 24: File Menu Command to add a file system

- ii. Click Add New Source and select the option File System in its menu.
- iii. Right click the parent Windows File System node in Source pane and select Add New Drive.

iv. Right click the Remote Computer node and click Add New Drive.

2. Doing any of the above steps displays the following wizard.

👩 Add New File System	m 💌
Computer Name: (e.g 192.168.30.7 or lepide07.)	192.168.10.97
Drive: (Example C,D etc)	C •
	📥 Validate Connection
	OK Cancel

Figure 25: Wizard to add a networked computer as a File System

Enter the Computer Name or IP Address in the text box titled "Computer Name"
 © 2021 KernelApps Pvt. Ltd.

- 4. Select a drive that has to be connected as a File System for the software using the drop-down box titled "Drive".
- 5. (Optional) Follow below steps to validate the connection with the remote computer
- 6. Click Halidate Connection to validate the connection.
- 7. It displays the following dialog box.




Figure 26: Retrieving Data dialog box

8. If the connection is successful, the following message box appears.




Figure 27: Connection is successful.

9. Click "OK" to process the addition of remote file system.




Figure 28: Retrieving Data dialog box

10. After establishing the connection, the software may ask for the login credentials to login on the remote computer. The networked storage will be added as a Remote File System to the software. It is displayed with the provided computer name under the "Remote Computer" node in the Source Section. For example, "sp13-ex10" is the newly added node in the Source section in the following image.




Figure 29: Newly added File System - test-computer

4.3 Add Public Folders

you have to connect to an Exchange Server to add its Public Folders as the source. You can connect to an Exchange Server using the following methods.

- 1. Live Exchange (Direct Connection)
- 2. Through an Existing/New Outlook Profile
- 3. Manually Configure Outlook Profile

4.3.1 Connect to Live Exchange

Follow the steps below to add a Live Exchange Server.

- 1. Perform any of the following methods to start the process.
 - a. Click "File" menu and click "Add Public Folder" as shown below.




Figure 30: File Menu Command to add an Exchange Server

- b. Click Add New Source and select the option Public Folder in its menu.
- c. Right click the parent Public Folder node in Source pane and click Add Public Folder.
- 2. Doing any of the above steps displays the following wizard.

🔞 Ac	dd Profile/Live Exchange	×
Sou	гсе Туре	
Sele	ect source type and click Next	
	Source Type	
	Outlook Profile	
	🗇 Live Exchange	
	Archive Mailbox and Office 365 are available in Outlook Profile Type while these options are not supported in Live Exchange Type.	
	< <u>Back</u> Mext > Cance	I

Figure 31: Wizard to add a local/networked Exchange Server

3. Select the option named "Live Exchange".

🕰 Add Profile/Live Exchange	×
Source Type	
Select source type and click Next	
Source Type	
Outlook Profile	
Live Exchange	
Archive Mailbox and Office 365 are available in Outlook Profile Type while these options are not supported in Live Exchange Type.	
< <u>B</u> ack <u>N</u> ext > Canc	el

Figure 32: Selected the option to add Live Exchange

4. Click "Next".

ᄰ Add Profile/Live Exchange		×
Mail Server		
Provide exchange server name/IP, (username, password and click Next	
Domain Name / IP Address :	1	
	User Name	
Enter User Name :	User Name	
Enter Password :	Password	
		·
🔲 Manually Configure Outlook Pr	rofile	
	< Back Next > Cance	

Figure 33: Add Exchange Server

NOTE: You can right click on the node "Live Exchange" and select "Add Live Exchange" option to reach directly at this step.



Figure 34: Direct option to add Live Exchange

5. You have to provide the inputs like IP Address or the Domain Name of the server where Exchange Server is installed and the login credentials of an Administrator user.

ᄰ Add Profile/Live Exchange		×
Mail Server		
Provide exchange server name/IP,	username, password and click Next	
Domain Name / IP Address :	192.168.10.97	
Enter User Name :	Administrator	
Enter Password :	••••••	
Manually Configure Outlook Pr	ofile	
	< <u>B</u> ack <u>N</u> ext > Canc	el

Figure 35: Sample details to add Exchange Server

6. Click "Next". You may receive the following dialog box, which tries to validate the connection.




Figure 36: Dialog box to validate the connection

7. Once the connection is validated, you reach the following step.

🔞 Add Profile/Live B	xchange	— ×-
Select Mailbox(es)		
Select mailbox to ad	d to the software and click Next	
Exchange Server:	SP13-EX10	
MailBox:	Select All	
	MailBox(es)	
	V Administrator	
	📝 Santosh Kumar. IT	
	DiscoverySearchMailbox {D919BA05-46A6-41	
	FederatedEmail.4c1f4d8b-8179-4148-93bf-00	
	< <u>B</u> ack <u>N</u> ext >	Cancel

Figure 37: Select Mailboxes

- 8. All mailboxes are listed in this step. Select the mailboxes, with which you want to connect.
- 9. Click "Next" once you are done. The next step displays the summary of this connection.

T.	Add Profile/Live Exchange	83
	Summary	
-	Source Type = Live Exchange Server Name / IP Address : SP13-EX10 Connected Mailbox(es) : Administrator Connected Successfully Santosh Kumar. IT Connected Successfully DiscoverySearchMailbox {D919BA05-46A6-415f-80AD-7E09334BB852} Connected Successfully FederatedEmail.4c1f4d8b-8179-4148-93bf-00a95fa1e042 Connected Successfully Public Folders Connected Successfully	*
-	< <u>B</u> ack Finish Cance	<u>.</u>

Figure 38: Summary of the connection

10. Read the summary and click "Finish" to add the Exchange Server.

11. Now, the Source pane displays the added live Exchange Server under the node "Live Exchange".




Figure 39: Added Live Exchange Server

12. The Exchange Server now lists all of its mailboxes.

4.3.2 Connect to Exchange via Existing/New Outlook Profile

You can connect to an Exchange Server directly through an existing Outlook profile on the computer where Kernel Migrator for SharePoint is installed. You can use this method to connect to Office 365 or Archive Mailbox of any Exchange Server. You can add only one mailbox, for which the selected Outlook profile is configured. You cannot add other mailboxes in the same Exchange Server using this method.

Follow the steps below,

- 1. Perform any of the following methods to start the process.
 - i. Click "File" menu and click "Add Public Folder" as shown below.




Figure 40: File Menu Command to add an Exchange Server

- ii. Click Add New Source button on Toolbar and select the option Public Folder in its menu.
- iii. Right click the parent Public Folder node in the "Source" Pane and click Add Public Folder
- 2. Doing any of the above steps displays the following wizard.

Add Profile/Live Exchange	×
Source Type	
Select source type and click Next	
Source Type	
Outlook Profile	
C Live Exchange	
Archive Mailbox and Office 365 are available in Outlook Profile Type while these options are not supported in Live Exchange Type.	
< <u>B</u> ack <u>N</u> ext > Cancel	

Figure 41: Wizard to add a local/networked Exchange Server

- 3. Select the option named "Outlook Profile".
- 4. Click "Next" to reach the following step.

🧟 Add Profile/Live Exchange		×
Select Profile		
Select MS outlook profile which you want to connect		
Available Profiles :		
Outlook)
	New Profile Validate]
	Back Next > Canc	el

Figure 42: Select an Outlook Profile

NOTE: You can right click on the node "Outlook Profiles" and select "Add Profile" option to reach directly at this step.

🖶 📲 📴 Outlook Profiles		Add Profile	
	E	Aug Frome	

Figure 43: Direct option to add Exchange Server through profile

- 5. Select the Outlook profile from the drop-down menu.
- 6. You can click on "New Profile" to create a new Outlook profile right away to connect to an Exchange Mailbox. It displays the following dialog box.

🗟 Create New Profile	
Enter Server Name:	I
Enter MailBox Name :	Mailbox Name
Enter Profile Name :	Profile Name
	Is It Exchange 2013
	Office 365
	Manually Configure Outlook Profile
	Create Close

Figure 44: Create a new Outlook Profile

Follow the steps below to create a new Outlook profile,

i. You have to provide the inputs like the IP Address or domain name of the Exchange Server, mailbox name, and the desired name of the new Outlook Profile.

🞑 Create New Profile	
Enter Server Name:	SP13-EX10
Enter MailBox Name :	TestUser2@www.vdoc.com
Enter Profile Name :	TestUser2
	Is It Exchange 2013
	Office 365
	Manually Configure Outlook Profile
	Create Close

Figure 45: Sample details to create a new Outlook Profile

- ii. Check the option "Is it Exchange 2013" if you are connecting to Exchange Server 2013.
- iii. Check the option "Office 365" if you are connecting to Office 365.

- iv. Check the option "Manually Configure Outlook Profile" if you want to configure the profile manually to connect to an Exchange Server.
- v. Click "OK" to validate the connection.




Figure 46: Dialog box to validate the connection

vi. Once the connection is validated, the profile is created. You receive the following dialog box confirming the success.

Kernel Migrator for SharePoint 🛛 🔜
Profile Created Sucessfully
ОК

Figure 47: New profile is created.

vii. Click "OK" to go back to the main wizard.

The main wizard now displays the newly created profile.

🧟 Add Profile/Live Exchange			×
Select Profile			
Select MS outlook profile which you want to connec	t		
Available Profiles :			
TestUser2		•	
	New Profile	Validate	
	< <u>B</u> ack <u>N</u> ext	> Cance	el

Figure 48: Select an Outlook Profile

7. Click "Validate" to validate the connection. The software tries to validate the connection to Exchange Server via selected profile.




Figure 49: Dialog box to validate the connection

8. Once the connection to Exchange Server via selected profile is successful, the software displays the following message.




Figure 50: Connection to Exchange Server is successful.

9. Click "Next". You may receive the following dialog box, which tells you to check "Remember my password" or "Remember my credentials" option while providing the login credentials for Exchange.

Kernel Migrator for SharePo	int	×
Please check th login credential	e option "Remember my password" while providing the s otherwise the migration job will not run properly.	
	ОК	

Figure 51: Message box saying to check the option "Remember Password"

Enabling "Remember my password" or "Remember my credentials" option, while providing the login credentials for adding an Exchange Server, let the software use saved credentials to run the scheduled migration jobs.

10. You may receive the following dialog box to provide the login credentials.

Windows Securit	y 💌	
ChilyOutlookEngine Connecting to testuser2@www.vdoc.com		
	TestUser2@www.vdoc.com ••••••• If Remember my credentials	
	Use another account	
	OK Cancel	

Figure 52: Asking the login credentials

11. Provide the username and password of that user, whose mailbox you are trying to connect through the existing Outlook profile.

- **12.** As notified above, kindly check the option "Remember my password" or "Remember my credentials". It lets the software use the same login credentials to run the scheduled migration jobs.
- 13. Click "OK" to let the software connect to Exchange Server.
- 14. Once the connection is successful, you reach the next step of the wizard. It displays the summary of this connection.

1	Add Profile/Live Exchange	X	3
	Summary		
	Source Type = Outlook Profiles	*	
	Selected Profile Name = TestUser2		
		Ŧ	
-			-
	< <u>B</u> ack Finish Cance		J

Figure 53: Summary of the connection

- 15. Read the summary and click "Finish" to add the Exchange Server.
- 16. Now, the source pane displays the added Exchange Server under the "Outlook Profiles" node.



Figure 54: Added Exchange Server through Outlook Profile

4.3.3 Configure Profile manually to connect to Exchange

You can configure the Outlook profile settings manually to connect to an Exchange Server. It is recommended to use this method if you are facing any problem while connecting to an Exchange Server. Follow the steps below,

- 1. Perform any of the following methods to start the process.
 - i. Click "File" menu and click "Add Public Folder" as shown below.




Figure 55: File Menu Command to add an Exchange Server

- ii. Click Add New Source and select the option Public Folder in its menu.
- iii. Right click the parent Public Folder node in the Source pane and click Add Public Folder.
- 2. Doing any of the above steps displays the following wizard.

🞑 Add Profile/Live Exchange	×
Source Type	
Select source type and click Next	
Source Type	
Outlook Profile	
C Live Exchange	
Archive Mailbox and Office 365 are available in Outlook Profile Type while these options are not supported in Live Exchange Type.	
< Back Next > Cano	el

Figure 56: Wizard to add a local/networked Exchange Server

3. Select the option "Live Exchange".

🔏 Add Profile/Live Exchange	×
Source Type	
Select source type and click Next	
Source Type	
💿 Outlook Profile	
Live Exchange	
Archive Mailbox and Office 365 are available in Outlook Profile Type while these options are not supported in Live Exchange Type.	
< <u>B</u> ack <u>N</u> ext > Cano	el

Figure 57: Selected the option to add Live Exchange

4. Click "Next".

🞑 Add Profile/Live Exchange		×
Mail Server		
Provide exchange server name/IP,	username, password and click Next	
		_
Domain Name / IP Address :		
Enter User Name :	User Name	
Enter Password :	Password	
Enter i dismorta i		
Manually Configure Outlook Pr	rofile	
	< <u>B</u> ack <u>N</u> ext > Cance	əl

Figure 58: Add Exchange Server

NOTE: You can right click on the node Live Exchange and select Add Live Exchange option to reach directly at this step.

- 5. You have to provide the inputs like IP Address or the Domain Name of the server where Exchange Server is installed and the login credentials of an Administrator user.
- 6. Check the option "Manually Configure Outlook Profile", if you want to configure the profile manually to connect to an Exchange Server.

🞑 Add Profile/Live Exchange			
Mail Server			
Provide exchange server name/IP, username, password and click Next			
Domain Name / IP Address :	192.168.10.97		
Enter User Name :	Administrator		
Enter Password :	•••••		
📝 Manually Configure Outlook P	rofile		
	< Back Next > Cancel		

Figure 59: Sample details to add Exchange Server

While connecting to an Exchange Server using the Outlook Profile, you get an option to create a new profile with/without manual configuration. The following steps remain applicable in this case as well.

7. Click "Next". The following wizard appears onscreen.

Microsoft I	Exchange)	
General	Advanced Security Connection		
Microsof	t E <u>x</u> change server:		
Mail <u>b</u> ox:			
Adminis	trator Check Name		
	tomatically <u>d</u> etect connection state nually control connection state		
	Choo <u>s</u> e the connection type when starting		
	efault connection state		
) <u>C</u> onnect with the network) Work <u>o</u> ffline and use dial-up networking		
30	Seconds Until Server Connection Timeout		
L	OK Cancel Apply		

Figure 60: Wizard to configure the profile manually

8. Enter the correct name of Exchange Server and mailbox, if the entered values are wrong.

Microsoft Exchange
General Advanced Security Connection
Microsoft E <u>x</u> change server:
SP13-EX10
Mail <u>b</u> ox:
TestUser3 Check Name
When starting
Automatically detect connection state
<u>Manually control connection state</u> Choose the connection type when starting
Choose the connection type when starting
Work offline and use dial-up networking
30 Seconds Until Server Connection <u>T</u> imeout
OK Cancel Apply

Figure 61: Sample values in Microsoft Exchange Configuration

9. Click on "Check Name" in "General" tab to identify the existence of mailbox on the Exchange Server. Doing this may display the dialog box asking for login credentials.

Windows Securit	y 💌	
ChilyOutlookEngine Connecting to TestUser3		
	TestUser2@www.vdoc.com	
	TestUser3@www.vdoc.com ••••••• Domain: www.vdoc.com V Remember my credentials	
	OK Cancel	

Figure 62: Dialog box asking for login credentials

10. Provide the username in the format - (Domain\Username).

- 11. Enter the password.
- **12.** Click "OK" to proceed further. After verifying the mailbox existence, the software takes you back to the same wizard. Now, it shows the identified name of the Exchange Server and its mailbox.

Microsoft B	exchange	×
General	Advanced Security Connection	
Microsof	t E <u>x</u> change server:	
<u>SP13-E></u>	(10.www.vdoc.com	
Mail <u>b</u> ox:		
TestUse	r3 Check Name	
When	starting	- I
	comatically detect connection state	
	nually control connection state	
	Choose the connection type when starting efault connection state	
) <u>C</u> onnect with the network	
0	Work offline and use dial-up networking	
30	Seconds Until Server Connection Timeout	
	OK Cancel A	oply

Figure 63: Displaying the name of identified Exchange Server and Mailbox

13. Switch to "Advanced" tab to configure the settings related to mailboxes.

Microsoft Exchange
General Advanced Security Connection
Mailboxes
Open these additional mailboxes:
A <u>d</u> d
<u>R</u> emove
Cached Exchange Mode Settings
Use Cached Exchange Mode
Download shared folders
Download Public Folder Favorites
Mailbox Mode
Outlook is running in non-Unicode mode against Microsoft Exchange.
Outlook Data <u>File</u> Settings
OK Cancel Apply

Figure 64: Advanced Tab

- 14. Click "Outlook Data File Settings" to modify the default location of OST file.
- 15. Switch to "Security" tab to view and modify the security settings.

Microsoft Exchange	×
General Advanced Security Connection	
Encryption Encrypt data between Microsoft Outlook and Microsoft Exchange	
User identification Always prompt for logon <u>c</u> redentials	
Logon network security:	
OK Cancel Appl	у

Figure 65: Security Tab

16. "Connection" tab deals with the connectivity settings.

Microsoft Exchange
General Advanced Security Connection
Connection
Use these settings when connecting to Microsoft Exchange when working offline:
Connect using my Local Area Network (LAN)
Connect using my phone line
Connect using Internet Explorer's or a 3rd party dialer
Modem
Use the following Dial-Up Networking connection:
Properties Add
Outlook Anywhere
Connect to Microsoft Exchange using HTP
Exchange Proxy Settings
OK Cancel Apply

Figure 66: Connection Tab

17. Click "Exchange Proxy Settings" in this tab to access the Proxy Settings.

Microsoft Exchange Proxy Settings	x
Microsoft Outlook can communicate with Microsoft Exchange over the Internet by nesting Remote Procedure Calls (RPC) within HTTP packets. Select the protocol and t identity verification method that you want to use. If you don't know which options to select, contact your Exchange Administrator.	
Connection settings	
Use this URL to connect to my proxy server for Exchange:	_
http://	
Connect using SSL only	
Only connect to proxy servers that have this principal name in their certificat	:e:
On fast networks, connect using HTTP first, then connect using TCP/IP	
On slow networks, connect using HTTP first, then connect using TCP/IP	
Proxy authentication settings	
Use this authentication when connecting to my proxy server for Exchange:	
NTLM Authentication	
OK Cance	

Figure 67: Proxy Settings

- **18.** Here, you can provide an HTTP URL to allow the software connecting to Exchange Server through it. Also, you can select SSL.
- 19. (Optional) You can select the authentication level here to connect to Exchange Server.
- 20. Modify other proxy settings, if you want.

Microsoft Exchange Proxy Settings	3
Microsoft Outlook can communicate with Microsoft Exchange over the Internet by nesting Remote Procedure Calls (RPC) within HTTP packets. Select the protocol and the identity verification method that you want to use. If you don't know which options to select, contact your Exchange Administrator.	
Connection settings	
Use this <u>U</u> RL to connect to my proxy server for Exchange:	
http:// webmail.SP13-EX10.www.vdoc.com	
Connect using <u>SSL</u> only Only connect to proxy servers that have this <u>principal</u> name in their certificate:]
On fast networks, connect using HTTP first, then connect using TCP/IP	
On slow networks, connect using HTTP first, then connect using TCP/IP	
Proxy authentication settings Use this authentication when connecting to my proxy server for Exchange:	
NTLM Authentication	
OK Cancel	

Figure 68: Filled Proxy Settings

- 21. Click "OK" to go back to the Exchange Configuration.
- 22. Click "Apply" to apply the modified settings.
- 23. Click "OK" to establish the connection. It displays the dialog box asking for the credentials.

Windows Security	×
ChilyOutlookEngine Connecting to TestUser3	
TestUser2@www.vdoc.com	
TestUser3@www.vdoc.com TestUser3@wwww.vdoc.com Domain: www.vdoc.com Remember my credentials	
OK	el

Figure 69: Dialog box asking for login credentials

- 24. Provide the username in the form (Domain\Username) and its password.
- 25. Click "OK" to proceed further.
 - © 2021 KernelApps Pvt. Ltd.

26. You may receive the following dialog box while the software is trying to connect to Exchange Server.




Figure 70: Validating the connection to Exchange Server

27. Once the connection is established, the software displays the enumerated list of all mailboxes available on the Exchange Server.

🞑 Add Profile/Live B	ixchange	—
Select Mailbox(es)		
Select mailbox to ad	d to the software and click Next	
Exchange Server:	SP13-EX10	
MailBox:	Select All	
	MailBox(es)	
	Administrator	
	📝 Santosh Kumar. IT	
	☑ DiscoverySearchMailbox {D919BA05-46A6-41	
	V FederatedEmail.4c1f4d8b-8179-4148-93bf-00	
	V TestUser2	
	V TestUser3	
	Vser1	
	< <u>B</u> ack Next >	Cancel

Figure 71: Select the mailboxes

- 28. Select the required mailboxes.
- **29.** Click "Next" to display the last step of adding an Exchange Server.

6	Add Profile/Live Exchange	83
	Summary	
-		
	Source Type = Live Exchange	*
	Server Name / IP Address : SP13-EX10	
	Connected Mailbox(es) : Administrator Connected Successfully Santosh Kumar. IT Connected Successfully DiscoverySearchMailbox {D919BA05-46A6-415f-80AD-7E09334BB852} Connected Successfully FederatedEmail.4c1f4d8b-8179-4148-93bf-00a95fa1e042 Connected Successfully TestUser2 Connected Successfully User1 Connected Successfully User1 Connected Successfully Public Folders Connected Successfully	
		-
-		
	< <u>B</u> ack Finish Cance	el 🛛

Figure 72: Summary of the connection to Exchange Server

- 30. Click "Finish" to complete the process.
- **31.** The newly added Exchange Server is displayed under the "Live Exchange" node in the Source pane. If you have configured the profile manually for "Outlook Profiles" option, then newly added Exchange Server comes under the "Outlook Profiles" node.




Figure 73: Added new Exchange Server

4.4 Add SharePoint Server as Source

Follow the steps below to add a SharePoint Site as a Source. Please note that each SharePoint Site is denoted with a project name in this software.

- 1. Perform any of the following methods to start the process.
 - i. Click "Add New Source" on the toolbar and select "SharePoint Server."




Figure 74: Option to add SharePoint as Source

- ii. Right click the parent "SharePoint Server" node in the "Source" Section and click Add New SharePoint Site.
- 2. Doing any of the above steps displays the following wizard.

Sites (classic/modern), Site Collections ern), Web Apps, Farm, Microsoft Teams, Office 365 fice 365 Tenants.
Rind/Add Multiple Sites
administrator For Sharepoint Online : Admin@domain.onmicrosoft.com
Password
Check For Only SharePoint Server 2010

Figure 75: Wizard to add a new Site

3. If you want the software to find and enumerate the complete Site Collection, then follow the steps below.

i. Click Find/Add Multiple Sites

to display the following wizard.

SharePoint Credentials	
Central Admin URL:	https://lepidesoftware-admin.sharepoint.com/
	For Online : e.g. (https://yourdomain-admin.sharepoint.com) For On-premise : e.g.
Central Admin User	sudesh@lepidesoftware.onmicrosoft.com
Central Admin	•••••

Figure 76: Wizard to find a Site Collection

- ii. Enter the details like "Central Admin URL", "User Name", and "Password".
- iii. Click ______ button to proceed further. The software tries to connect to the server.




Figure 77: Attempting to connect to the server

iv. Once it connects to the SharePoint Server, the software displays the list of detected Web Applications.

eb Application			
Check All Uncheck All			Refresh
Site Collection URL		Site Name	Accessibility /
Enter text here	7	Enter text 🝸	Enter text
https://lepidesoftware.shan https://lepidesoftware.shan	repoint.com/sites/Finan		
https://lepidesoftware.sha	repoint.com/sites/HS-Te repoint.com/sites/Finan repoint.com/sites/TestC repoint.com/sites/qa		

Figure 78: Displaying the detected Web Applications

v. Select a required Web Applications and click Check Accessibility to add SharePoint.

Find Site Collect	ion		2
Select Site Collection URL			
Web Application Web Application			
Check All Uncheck All		Refresh	
Site Collection URL	Site Name	Accessibility	^
Enter text here	Enter text	Tenter text	
 https://lepidesoftware.sharepoint.com/sites/Kernel https://lepidesoftware.sharepoint.com/sites/100MB https://lepidesoftware.sharepoint.com/portals/Co https://lepidesoftware.sharepoint.com/sites/Team https://lepidesoftware.sharepoint.com/sites/New0 https://lepidesoftware.sharepoint.com/sites/0001 https://lepidesoftware.sharepoint.com/sites/CONV 		>	~
Total : 218		Check Accessibil	ity
< <u>B</u> a	ick Finis	sh Canc	el

vi. Software will check the sites that you have selected. If they are accessible, then software will add them and you can click Finish to connect them.

Web Application Web Application		
Check All Uncheck All		Refresh
Site Collection URL	Site Name	Accessibility /
Enter text here	🝸 Enter text 🛐	Enter text
 https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site https://lepidesoftware.sharepoint.com/site 	s/New0 New010010 s/0001 0001 s/CONV	Success Success Success
https://lepidesoftware.sharepoint.com/site	s/12345	`
<		>
Total : 218		Check Accessibility

Figure 80: Displaying the list of the accessible sites

vii. Select a Site and click "Finish". The software displays the following wizard.

viii. Enter the Project Name.

NOTE: We are providing the inputs directly without using "Find Site Collection" method in this test case.

- 4. Enter the desired name of the project in the first text box titled "Project Name".
- 5. Provide the URL of the SharePoint Site in the next text box titled "Site Address".
- 6. Enter the username and password of Administrator.

👬 Add New Si	te 💌
Project Name:	Project1
Site Address:	http://sp13-ex10:12117/
	💫 Find Site Collection
User Name:	Administrator
Password:	••••••
	Ok Cancel

Figure 81: "Add New Site" wizard with the selected site

- 7. Click "OK".
- 8. The following message box appears that asks whether to add this SharePoint Site also as the destination or not.




Figure 82: Message to add the SharePoint also as the destination

- 9. Click "Yes" to add this SharePoint Site as the destination also or click "No" to add it as a source only.
- 10. Clicking any button let the software process the addition of this SharePoint Site.



Figure 83: Attempting to connect to the server

11. The provided SharePoint Site is added and displayed with the entered Project name in the Source Panel in the Left-Hand Panel. For example, project1 is the newly added node in the Source Panel as per the following image.




Figure 83: Newly added Project 1 site

4.5 Adding Microsoft Teams as Source

1. To connect Microsoft Teams in Source, you need to right-click the Microsoft Teams in source section, then click Add Teams.




Figure 85: Microsoft-Teams-selection

- 2. In the Add Teams wizard for login, you need to input a project name. Then the Tenant ID, username, Client ID, and Secret ID. Then, click Register and Connect.
 - © 2021 KernelApps Pvt. Ltd.

Project Name: New-Team-Migration			
Modern Authentication while login(by using user name, client id and client secret)			
Tenant ID: 17515425-ł			
User Name: tarun@ .onmicrosoft.com			
Client ID: 61b495e6-2464			
Client Secret:			
O Modern Authentication while login(by using user name and password)			
Global Admin User Id:			
(e.g. admin@domain.onmicrosoft.com)			
Password:			
Note: On Clicking "Register and Connect" button, software will register KernelApp application in MS Azure to access all teams.			
App Registration (More Information) Register and Connect Cancel			
Figure 86-Input-Teams-Details			

3. The Teams will connect with the tools after verifying the account details.




Figure 87-Microsoft-Teams-in-Source

4.6 Adding OneDrive for Business as Source

1. Connecting OneDrive for Business as the source account is similar as connecting in the destination. You need to rightclick in the OneDrive for Business in source, then choose Add OneDrive for Business.





Figure 88-OneDrive for Business

2. Input the required details like Project name, Target Type, Site Address, User ID, and the Password. Then click OK.

(Add OneDrive For Business ×
Project Name:	OneDrive-Test-Migration
Target Type:	Admin Tenant Account
Site Address:	https://lepidesoftware-admin.sharepoint.com
	e.g (https://domain-admin.sharepoint.com)
User ID:	sudesh@lepidesoftware.onmicrosoft.com
Password:	•••••
	OK Cancel
	Figure 89-Add account details

3. After connecting the account in software, you can expand the project name to see various folders present in it.



4.7 Adding Google Drive as Source

1. To connect your Google Drive, you need to right-click Google Drive in source section. Then choose Add Google Drive.




Figure 91-Add Google Drive

2. Enter the project name, then a source account, the primary email address, its private P 12 key, and the required user accounts from the main list. Then click OK.

KAdd Google Drive×							
Enter Project name: Test-Google-Migration Authentication Type Service Account (Business Account G Suite)							
	etestplz-do-not-delete.iam.gserviceaccount.com						
User Email Address:	kemel@fixpst.net						
Private Key Path(.p12) Select User Name(s):	D:\Aftab\kemeltestplz-do-not-delete-4d569 gaurav@fixpst.net.gk@fixpst.net,ladss@fix						
How to create Services Account and P12 or Login Details: Web Authentication (Single User personal drive)							
	OK Cancel						

Figure 92-Input G Suite credential

3. After connecting the Google Drive, you can see all the selected accounts in the list.

Source	Ŧ	д	×
🕀 💼 Windows File System/Sync Cloud Drives			
🖕 🞑 Public Folder			
🕀 📴 Outlook Profiles			
in Exchange/Exchange Online			
5 SharePoint (On-Premises/Online)			
🕀 🤷 OneDrive For Business			
🖨 📥 Google Drive(Google Workspace)			
🖨 📊 Test-Google-Migration			
🖶 🚨 gaurav@fixpst.net			
⊞ 🚨 gk@fixpst.net			
🖶 🚨 ladss@fixpst.net			
⊞ <mark>.</mark>			
🖶 🚨 sandeep@fixpst.net			
🗄 🚨 shashi@fixpst.net			
🖶 🚨 kernel@fixpst.net			
🗄 🚨 support@fixpst.net			
🗄 📫 Microsoft Teams			

Figure 93-List of Google Drive

5. Software Settings

Kernel Migrator for SharePoint lets you apply some settings, which will be common and universal for all migration jobs from any source to destination. It includes the migration options, download options, and filters along with the options to replace invalid characters or invalid endings. Let us have a look at the steps to modify these software settings.

Click "Tools" menu and select "Settings". It displays the following dialog box, which contains the different tabs.

Upload Settings Invalid Characters Invalid Endings General Upload Settings (File System) Upload Settings (Public Folder) Connectivity Timeout: Invalid Characters second(s) 1000 second(s) Second(s)	Profiler Settings				
Connectivity Timeout: Time second(s) Second(s)					Invalid Endings
Image: Second(s)	General	Upload Settin	gs (File System)	Upload Settings (I	Public Folder)
Image: Second(s)	- Connectivity Tim	eout:			
1000 In Second(s)					
				ocond(c)	
OK Cancel Apply	1000		¥ 5	econa(s)	
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
OK Cancel Apply					
				OK Cancel	Apply

Figure 91: Software Settings

5.1 General

Connectivity Timeout: By default, the infinite timeout is set. It means that Kernel Migrator for SharePoint wait for infinite moments until a connection has been established with the SharePoint Server. You can uncheck this option and set a custom value using the drop-down box.

5.2 Upload Settings (File System)

This tab contains the universal settings for all migrations from the File System to the SharePoint Server. Click it to display its options.

pload Settings(SharePoint Mi General Up	gration) Dowr Ioad Settings (File	nload Settin System)		lid Characters Jpload Settings (Invalid Ending: Public Folder)
Copy Settings Permission	Settings				
Overwrite existing file(s))/Add as a new vei	rsion to the	existing file(s)	
Upload file only if target	file exists and is o	lder than so	urce file		
📝 Ignore File Path					
Select Filter					
Date Filter	(m. 1. 1)		7/ 6/2015	7.16.4E DM	
File Access Date	Greater than			7:16:45 PM	
File Creation Date	Greater than	*	7/ 6/2015	7:16:45 PM	
And	Less than		7/ 6/2015	7:16:45 PM	
File Modification Date	Greater than	-	7/ 6/2015	7:16:45 PM	
And	Less than		7/ 6/2015	7:16:45 PM	
File Filter					
File Name	Begins with	T			
File Extension	Begins with	-			
File Size(In Kilo Bytes)	Greater than	-			
User Filter					
File Owner	Begins with	-			

Figure 92: Upload Content Settings tab for File System

These settings are visible as Migration Options when you perform File System to SharePoint Migration.

You can modify these settings while creating or editing a migration job. These settings are further divided into the following two tabs.

1. Copy Settings

Copy Settings are, in fact, the migration options that can be modified while performing the File System to SharePoint Migration.

As stated above, settings applied in this tab will be universally applied to all File System to SharePoint Migration Jobs. However, the user has the freedom to modify them accordingly. It contains the following options.

- i. **Overwrite existing file(s):** Select this option to overwrite the existing file on the SharePoint Server. It lets thesoftware not to ask for your confirmation once a file is already available on the destination.
- ii. Add as a new version to the existing file(s): If you are trying to upload the content that has the version optionenabled, then the above "Overwrite existing file(s)" is replaced with this option.

Select this option to add the source file as its new version. In this case, if another version of the source file exists on the target, then the item is uploaded as a different version. It means that both versions of the selected content coexist at the SharePoint Server after uploading.

- iii. Upload file only if the target file exists and is older than source file: Select this option to upload the file only if the modification date of the source file is greater than the current modification date of the target file.
- iv. **Ignore File Path:** Select this option if you want the software to ignore the file path and file path limitations while uploading the content.
- v. **Select filter:** Select this option to filter the File System content that has to be migrated to the SharePoint Server. The adjacent "Filter" box will be enabled once this option is selected. The different filters and steps to apply them are listed herein below.
- a) **Date Filter:** Select any of the date filters to sort the content as per the file access, creation, or modification date. It has the following filters.
- I. <u>File Access Date</u>: It filters the files as per the provided accessed date. Enable this filter, select any of the following conditions, and select the date & time for it in the adjacent box.
 - Greater Than: It shows the files accessed on the date greater than the provided one.
 - Less Than: It shows the files accessed on the date less than the provided one.
 - **Not Equal:** It shows the files not accessed at the provided date.
 - **Equal:** It shows the files accessed at the provided date.
- II. <u>File Creation Date</u>: It filters the files as per the provided created date. Enable this filter, select any of the following conditions, and provide a value for it.
 - **Greater Than:** It shows the files created on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

- Less Than: It shows the files created on the date less than the provided date.
- Not Equal: It shows the files not created on the provided date.
- **Equal:** It shows the files created on the provided date.
- III. <u>File Modification Date</u>: It filters the files as per the provided modified date. Enable this filter, select any of the following conditions, and provide a value for it.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

- **Greater Than:** It shows the files modified on the date greater than the provided one. Selecting this condition enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.
- Less Than: It shows the files modified on the date less than the provided date.
- **Not Equal:** It shows the files not modified on the provided date.
- **Equal:** It shows the files modified on the provided date.
- b) <u>File Filter</u>: It lets the software filter the files based on the parameters related to file such as its name, extension, and size. It contains the following filters.
- File Name: It filters the content as per the provided name. You have to enable this filter first. Select any of the following conditions, and then provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - **Begins With:** It shows the files, of which name starts with the provided value.
 - Includes: It shows the files, of which name contains the entered value.
 - **Not Equal:** It shows the files having the name not similar to the entered value.

NOTE: Both File Name and File Extension filters has to be used collectively.

- **Equal:** It shows the files having the name exactly similar to the entered value.
- File Extension: It filters the content as per the extension provided. Enable this filter, select any of the following conditions, and provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - **Begins With:** Select it to show the files whose extension starts with the entered value.
 - Includes: It shows the files, of which extension contains the entered value.
 - **Not Equal:** Select it to show the files having extension not similar to the entered value.
 - **Equal:** Select it to show the files having the extension exactly similar to the entered value.
- File Size (In Kilo Bytes): It filters the files as per the provided file size in KB. Enable this filter, select any of the following conditions, and provide a value for it in numbers.
 - **Greater Than:** It shows the files having size greater than the provided value.
 - o Less Than: It shows the files having size less than the provided value.
 - Not Equal: It shows the files having size not equal to the provided value.
 - **Equal:** It shows the files having the size equal to the provided value.
- c) <u>User Filter</u>: It filters the files as per the users. It contains the following filters.

- **File Owner**: It filters the content as per the file owners who created the files. Enable this filter, select any of the following conditions, and provide a value for it.
 - **Begins With:** Select this option to show the files, whose owner's name starts with the entered value.
 - o Includes: Select it to show the files, whose owner's name contains the entered value.
 - Not Equal: Select it to show the files having the owner's name not similar to the entered value.
 - **Equal:** Select it to show the files having the owner's name exactly similar to the entered value.

Check the boxes for the desired filters and provide their values.

pload Settings(SharePoint M General Up	gration) Download S load Settings (File Syster		Upload Settin	s Invalid Ending gs (Public Folder)
Copy Settings Permission	Settings			
Overwrite existing file(s))/Add as a new version b	o the exis	sting file(s)	
Upload file only if target	file exists and is older th	ian source	e file	
🔽 Ignore File Path				
📝 Select Filter				
Date Filter	Greater than 💌		6/2015 4:34:21 PM	
File Access Date				
File Creation Date	Greater than 🔻	8/	6/2015 4:34:21 PM	
Ana	Less than	8/	6/2015 4:34:21 PM	
E File Modification Date	Greater than 📼	8/	6/2015 4:34:21 PM	1 💷
And	Less than	8/	6/2015 4:34:21 PM	1
File Filter				
📝 File Name	Includes 🔹	lep	ide	
📝 File Extension	Includes -	. txt		
🔲 File Size(In Kilo Bytes)	Greater than 📼			
User Filter				
Ele Owner	Begins with 👻			

Figure 93: Dialog box shows the set of applied filters

2. Permission Settings

Permission Settings allows you applying the universal settings for migrating permissions and remapping users. Once applied, these settings will be applicable universally for all File System to SharePoint Migration.

🔯 Profiler Settings	
Upload Settings(SharePoint Migration) Download Settings Invalid Cha General Upload Settings (File System) Upload	aracters Invalid Endings Settings (Public Folder)
Copy Settings Permission Settings	
Migrate Permission	
Remap Users/Groups	
🚨 Add New Mapping) 📓 Add using csv 📝 Edit 👔 🧟 Remo	ove 📳 Save
Source User Name Destination User Name	
OK Cancel	<u>A</u> pply Help

Figure 94: Permission Settings

Follow the steps below to apply the Permissions Settings.

While performing File System to SharePoint Migration, you can follow the similar steps to modify or reject these permission settings.

 Check the box saying "Migrate Permissions" if you wish to migrate the permissions of content from File Systemto the SharePoint Server. Doing this enables the adjacent option to map users, i.e.
 "Remap Users". Enabling the "Remap Users" enables the complete section to let you map the users.

🔯 Profiler Settings		— ×-
Upload Settings(SharePoint Migration) Download Settings General Upload Settings (File System)	Invalid Characters Upload Settings (Invalid Endings (Public Folder)
Copy Settings Permission Settings Image: Copy Settings Image: Copy Settings Image: Copy Settings<	Removel	Save
Source User Name Destination User	Name	
ок	Cancel Apply	Help

Figure 95: The section to migrate permissions and map users is enabled.

"Migrate Permissions" option will work only when the user of source content is available in the Active Directory of the destination SharePoint. In another case, you have to use the option "Remap Users" to map the users.

ii. Click to add a new user mapping.

😣 Remap Users	—
Source User Name: (Domain\UserName)	COD\Administrator
Destination User Name: (Domain\User Name)	CONN\TestUser
	OK Cancel

Figure 96: Dialog box to map the users

- iii. Add the source and target usernames in their respective boxes.
- iv. Click "OK" to add the mapping. It takes you back to the migration wizard, where the mapping section displays the currently added user mapping.

🔯 Profiler Settings			X
Upload Settings(SharePoint Migration) D General Upload Settings (f	ownload Settings File System)	Invalid Characters Upload Settings (Invalid Endings Public Folder)
Copy Settings Permission Settings			
Add New Mapping			Save
Source User Name COD\Administrator	Destination User f	Vame	
	ОК	Cancel <u>A</u> pply	Help

Figure 97: User Mapping

- v. You can perform the following functions in this section.
- Edit...:: Click it to edit the selected mapping.
- Remove : Click it to delete the selected mapping.
- Save : Click it to save the mapping list as a CSV file.
- o Add Using CSV : Click it to load the mapping list from an existing CSV file.

5.3 Upload Settings (Public Folder)

This tab contains the migration options for Public Folder to SharePoint Migration. Click it to display the following tab.

bload Settings(SharePoint M		ad Settings		Characters	Invalid Endir
General U	pload Settings (File Sy:	stem)	Uplo	oad Settings (F	Public Folder)
Overwrite existing file(s)	/Add as a new versior	n to the exi	sting file(s)		
🔲 Upload file only if target	file exists and is older	than sourc	e file		
🗸 Ignore File Path					
Select Filter					
Date Filter					
Creation Date	Greater than	-	7/ 6/2015	7:20:44 PM	
And	Less than		7/ 6/2015	7:20:44 PM	
Modification Date	Greater than	-	7/ 6/2015	7:20:44 PM	
And	Less than		7/ 6/2015	7:20:44 PM	
Received Date	Greater than	T	7/ 6/2015	7:20:44 PM	
And	Less than		7/ 6/2015	7:20:44 PM	
File Filter					
File Name	Begins with	-			
File Extension	Begins with	Ŧ			
File Size(In Kilo Bytes)	Greater than	*			
User Filter					
From	Begins with	-			
То	Begins with	-			
Subject	Begins with	-			

Figure 98: Settings to upload content from Public Folder to SharePoint

Once applied, these settings will be universally applicable to all Public Folder to SharePoint Migration Jobs. These settings are visible while performing the public folder migration. A user is free to modify or reject these settings while performing any Public Folder to SharePoint Migration. It contains the following options.

- 1. **Overwrite existing file(s):** Select this option to overwrite the existing file on the SharePoint Server. It lets the software not to ask for your confirmation once a file is already available on the destination.
- 2. Add as a new version to the existing file(s): If you are trying to upload the content, which has the version option enabled, then the above "Overwrite existing file(s)" will be replaced with this option.

Select this option to add the source file as its new version. In this case, if another version of the source file exists on the target, then the item will be uploaded as a different version. It means that both versions of the selected content will coexist at the SharePoint Server after uploading.

3. Upload file only if the target file exists and is older than source file: Select this option to upload an item only if the modification date of the source item is greater than the current modification date of the target item.

- 4. **Ignore File Path:** Select this option if you want the software to ignore the file path and file path limitations while uploading the content.
- 5. Select filter: Select this option to filter the File System content that has to be migrated to the SharePoint Server. Selecting this option enables the adjacent "Filter" box. The different filters and the steps to apply them are listed herein below.
 - 1. <u>Date Filter</u>: Select any of the date filters to sort the content as per the access, received, or modification date. It has the following filters.
 - i. <u>Creation Date</u>: It filters the files/items as per the provided created date. Enable this filter, select any of the following conditions, and provide a value for it.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

Greater Than: It shows the files/items created on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.

- Less Than: It shows the files/items created on the date less than the provided date.
- Not Equal: It shows the files/items not created on the provided date.
- **Equal:** It shows the files/items created on the provided date.
- 2. <u>Modification Date</u>: It filters the files/items as per the provided modified date. Enable this filter, select any of the following conditions, and provide a value for it.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

- **Greater Than:** It shows the files/items modified on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.
- Less Than: It shows the files/items modified on the date less than the provided date.
- Not Equal: It shows the files/items not modified on the provided date.
- **Equal:** It shows the files/items modified on the provided date.
- 3. <u>Received Date</u>: Select it to filter the mails/files as per the received date. Enable this filter, select any of the following conditions, and select the date & time for it in the adjacent box.
 - **Greater Than:** It shows the emails/files received on the date greater than the provided one.
 - Less Than: It shows the mails/files received on the date less than the provided one.
 - **Not Equal:** It shows the emails/files not received at the provided date.

NOTE: Both File Name and File Extension filters has to be used collectively.

Equal: It shows the emails/files received at the provided date.

- a. <u>File Filter</u>: It lets the software filter the files based on the parameters related to file such as its name, extension, and size.
 - i. <u>File Name</u>: It filters the content as per the provided name. You have to enable this filter first. Select any of the following conditions, and then provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: Select it to show the files whose name starts with the entered value.
 - **Includes:** Select it to show the file names containing the entered value.
 - **Not Equal:** Select it to show the files having the name not similar to the entered value.
 - **Equal:** Select it to show the files having the name exactly similar to the entered value.
 - ii. <u>File Extension</u>: It filters the content as per the provided extension. Enable this filter, select any of the following conditions, and provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - **Begins with:** Select it to show the files whose extension starts with the entered value.
 - Includes: Select it to show the files whose extension contains the entered value.
 - Not Equal: Select it to show the files having extension not similar to the entered value.
 - **Equal:** Select it to show the files having the extension exactly similar to the entered value.
 - iii. <u>Size (In Kilo Bytes)</u>: It filters the files as per the provided file size in KB. Enable this filter, select any of the following conditions, and provide a value for it in numbers.
 - **Greater Than:** It shows the files having size greater than the provided value.
 - Less Than: It shows the files having size less than the provided value.
 - **Not Equal:** It shows the files having the size not equal to the provided value.
 - **Equal:** It shows the files having the size equal to the provided value.
- b. User Filter: It filters the files as per the user of the files.
 - i. <u>From</u>: It filters the emails as per the sender who has sent the email. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the files of which sender's name starts with the entered value.
 - Includes: Select it to show the files of which sender's name contains the entered value.
 - Not Equal: Select it to show the files having the sender's name not similar to the entered value.
 - Equal: Select it to show the files having the sender's name exactly similar to the entered value.

- ii. <u>To</u>: It filters the emails as per the recipient in the "To" field of the email. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the files of which recipient's name starts with the entered value.
 - Includes: Select it to show the files of which recipient's name contains the entered value.
 - Not Equal: Select it to show the files having the recipient's name not similar to the entered value.
 - Equal: Select it to show the files having the recipient's name exactly similar to the entered value.
- iii. <u>Subject</u>: It filters the emails as per the subject. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the emails of which subject starts with the entered value.
 - Includes: Select it to show the emails of which subject contains the entered value.
 - Not Equal: Select it to show the emails having the subject not similar to the entered value.
 - Equal: Select it to show the emails having the subject exactly similar to the entered value.

Check the boxes for the desired filters and provide their values.

pload Settings(SharePoint	Migration) Downloa	ad Settings		Invalid Endin
General l	Jpload Settings (File Sy:	stem)	Upload Settings (Pu	blic Folder)
Overwrite existing file(: Upload file only if targe				
🗹 Ignore File Path				
V Select Filter				
Date Filter Creation Date	Greater than	-	8/ 6/2015 4:36:07 PM	
And	Less than		8/ 6/2015 4:36:07 PM	
Modification Date	Greater than	*	8/ 6/2015 4:36:07 PM	
And	Less than		8/ 6/2015 4:36:07 PM	
Received Date	Greater than	Ŧ	8/ 6/2015 4:36:07 PM	
And	Less than		8/ 6/2015 4:36:07 PM	
File Filter				
📝 File Name	Includes	-	lepide	
V File Extension	Includes	•	×ls	
🔲 File Size(In Kilo Bytes)	Greater than	-		
User Filter			[
From	Begins with	*		
То	Begins with	-		
Subject	Begins with	-		

Figure 99: Dialog box shows the set of applied filters

5.4 Upload Settings (SharePoint)

This tab contains the universal settings for all migrations from the Source SharePoint Server to the Destination SharePoint Server. Click it to display its options.

💿 Profiler Settings			×
	pload Settings (File System)	Upload Settings (F	Public Folder)
Upload Settings(SharePoint N	ligration) Download Settings	Invalid Characters	Invalid Endings
Copy Settings Permissio	n Settings Site Options List/Li	ibrary Options	1
Overwrite existing file(5)		
Upload file only if targe	t file exists and is older than source	file	
Include Version			
Include All Version			
 Include most recent 	t version 5		
C From 0	1 To 0	1	
(Major)	(Minor) (Major)	(Minor)	
🔽 Ignore File Path			
Select Filter			
Date Filter			
File Creation Date	Greater than 🔹 🛛 ७/ ७	5/2015 7:21:23 PM	
And	Less Than 7/ 6	5/2015 7:21:23 PM	
File Modification Date	Greater than 💌 7/ 6	5/2015 7:21:23 PM	
And	Less Than 7/ 6	5/2015 7:21:23 PM	
File Filter File Name	Begins with		
File Extension	Begins with		•
	ОК	Cancel Apply	Help

Figure 100: Upload Content Settings tab for File System

These settings are visible when you visit the step of modifying migration options in SharePoint to SharePoint Migration. You can modify these settings while creating or editing a migration job. These settings are further divided into the following four tabs.

1. Copy Settings - SharePoint

Copy Settings are, in fact, the migration options that can be modified while performing the SharePoint to SharePoint Migration.

As stated above, settings applied in this tab will be universally applicable to all SharePoint to SharePoint Migration Jobs. However, the user has the freedom to modify them accordingly. It contains the following options.

i. **Overwrite existing file(s):** Select this option to overwrite the existing file on the SharePoint Server. It lets thesoftware not to ask for your confirmation once a file is already available on the destination.

- ii. Upload file only if the target file exists and is older than source file: Select this option to upload the file only if the modification date of the source file is greater than the current modification date of the target file.
- iii. **Ignore File Path:** Select this option if you want the software to ignore the file path and file path limitationswhile uploading the content.
- iv. Include Versions: If you wish to include the versions of the content, then check "Include Versions".

🔽 Include Vers	ion				
) Include a	All version				
🔘 Include r	most recent v	ersion	5	*	
From	0	1	То	0	1
	(Major)	(Minor)		(Major)	(Minor)

Figure 94: Include file version options

It enables the following options. You can select anyone of them.

- Include All Versions: Select this option to include all versions of the files during migration.
- Include most recent versions: Select how many last versions of the content you want to migrate.



Figure 95: Include recent versions option

Enter the number of the recent version of the content, which you want to migrate.

• From: Select the range of the versions of all content that you have to download. Enabling this optionenables the "To" field.



Figure 96: Include versions from and to option

Enter the "from" and "to" range of the versions of content to be migrated. Such as, entering 2.1 (2 in Major and 1 in Minor) in "From" field and 5.1 (5 in major and 1 in minor) in "To" field, will migrate all versions of a file from 2.1 to 5.1.

- v. Select filter: Select this option to filter the File System content that has to be migrated to the SharePoint Server. Selecting this option enables the adjacent "Filter" box. The different filters and the steps to apply themare listed herein below.
- a. <u>Date Filter</u>: Select any of the date filters to sort the content as per the file access, creation, or modification date. It has the following filters.
 - i. <u>File Creation Date</u>: It filters the files as per the provided created date. Enable this filter, select any of the following conditions, and provide a value for it.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

Greater Than: It shows the files created on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.

- Less Than: It shows the files created on the date less than the provided date.
- **Not Equal:** It shows the files not created on the provided date.
- **Equal:** It shows the files created on the provided date.

ii. <u>File Modification Date</u>: It filters the files as per the provided modified date. Enable this filter, select any of the following conditions, and provide a value for it.

NOTE: Please make sure that "Less Than" date should be greater than the "Greater Than" date.

Greater Than: It shows the files modified on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the files following in this date range.

- Less Than: It shows the files modified on the date less than the provided date.
- **Not Equal:** It shows the files not modified on the provided date.

NOTE: Both File Name and File Extension filters has to be used collectively.

Equal: It shows the files modified on the provided date.

- b. <u>File Filter</u>: It lets the software filter the files based on the parameters related to file such as its name, extension, and size. It contains the following filters.
 - i. <u>File Name</u>: It filters the content as per the provided name. You have to enable this filter first. Select any of the following conditions, and then provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: Select it to show the files whose name starts with the entered value.
 - Includes: Select it to show the file names containing the entered value.
 - Not Equal: Select it to show the files having the name not similar to the entered value.
 - **Equal:** Select it to show the files having the name exactly similar to the entered value.
 - ii. <u>File Extension</u>: It filters the content as per the provided extension. Enable this filter, select any of the following conditions, and provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: Select it to show the files whose extension starts with the entered value.
 - Includes: Select it to show the files whose extension contains the entered value.

- **Not Equal:** Select it to show the files having extension not similar to the entered value.
- **Equal:** Select it to show the files having the extension exactly similar to the entered value.
- iii. <u>File Title</u>: It filters the content as per the provided title. You have to enable this filter first. Select any of the following conditions, and then provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: It shows the files whose title starts with the entered value.
 - Includes: Select it to show the file whose title contains the entered value.
 - **Not Equal:** Select it to show the files having the title not similar to the entered value.
 - **Equal:** Select it to show the files having the title exactly similar to the entered value.
- iv. <u>File Content Type</u>: It filters the content as per the provided Content Type. Enable this filter, select any of the following conditions, and provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: Select it to show the files whose Content Type starts with the entered value.
 - Includes: Select it to show the files whose Content Type contains the entered value.
 - **Not Equal:** Select it to show the files having Content Type not similar to the entered value.
- Equal: Select it to show the files having the Content Type exactly similar to the entered value.
 - v. <u>File ID</u>: It filters the content as per the provided ID. Enable this filter, select any of the following conditions, and provide a value for it. The entered value should not contain the special characters like /, \, :, *, ?, ", <, >, and |.
 - Begins With: Select it to show the files whose ID starts with the entered value.
 - Includes: Select it to show the files whose ID contains the entered value.
 - Not Equal: Select it to show the files having the ID not similar to the entered value.
 - **Equal:** Select it to show the files having the ID exactly similar to the entered value.
 - vi. <u>File Size (In Kilo Bytes)</u>: It filters the files as per the provided file size in KB. Enable this filter, select any of the following conditions, and provide a value for it in numbers.
 - **Greater Than:** It shows the files having size greater than the provided value.
 - Less Than: It shows the files having size less than the provided value.
 - **Not Equal:** It shows the files having the size not equal to the provided value.
 - **Equal:** It shows the files having the size equal to the provided value.
 - c. <u>User Filter</u>: It filters the files as per the user of the files. It contains the following filters.
 - i. <u>Who Created</u>: It filters the content as per the file owners who created the files. Enable this filter, select any of the following conditions, and provide a value for it.

- **Begins With:** Select this option to show the files, whose owner's name starts with the entered value.
- **Includes:** Select it to show the files, whose owner's name contains the entered value.
- Not Equal: Select it to show the files having the owner's name not similar to the entered value.
- **Equal:** Select it to show the files having the owner's name exactly similar to the entered value.
- ii. <u>Who Modified</u>: It filters the content as per the users who modified the files. Enable this filter, select any of the following conditions, and provide a value for it.
 - **Begins With:** Select this option to show the files, whose modifier name starts with the entered value.
 - **Includes:** Select it to show the files, whose modifier name contains the entered value.
 - Not Equal: Select it to show the files having the modifier name not similar to the entered value.
 - Equal: Select it to show the files having the modifier name exactly similar to the entered value.

Check the boxes for the desired filters and provide their values.

Profiler Settings						
		gs (File System)	Upload	Settings (F	Public Folde	r)
Upload Settings(SharePoint M	gration)	Download Settin	igs Invalid Ch	aracters	Invalid E	ndings
Copy Settings Permission	Settings	Site Options I	ist/Library Optior	15		
Overwrite existing file(s		and is older than s	ource file			
V Include Version						
Include All Version						
🔘 Include most recent	version	5				
C From	1	To 0	1			
(Major)	(Minor)	(Major)	(Minor)			
🔽 Ignore File Path						
🔽 Select Filter						
Date Filter						-
E File Creation Date	Greater t	than 🔻	8/ 6/2015 4:37:	34 PM		
And	Less T	han	8/ 6/2015 4:37:	34 PM		≡
File Modification Date	Greater t	than 👻	8/ 6/2015 4:37:	34 PM		
And	Less T	'han	8/ 6/2015 4:37:	34 PM		
File Filter	Includes	-	lepide			
			•			
V File Extension	Equal		dat			-
			ок	Cancel		pply

Figure 97: Dialog box shows the set of applied filters

2. Permission Settings – SharePoint

Permission Settings allow you to apply the universal settings for migrating the permissions and remapping the users. Once applied, these settings will be applicable universally for all SharePoint to SharePoint Migration Jobs.

General	Upload Setting	s (File System)	Upload Settings (Public Folder)
Upload Settings(Sha		Download Settings	Invalid Characters	Invalid Endings
Copy Settings Pe	ermission Settings	Site Options List/Li	brary Options	
Migrate Permi	ssion			
Remap Users/	Groups			
Add New	Mapping 👪 Add	using csv 📝 Edit	Remove 📳	Save
Source User Na	me	Destination User M	Jame	

Figure 98: Permission Settings

Follow the steps below to apply the Permissions Settings. While performing SharePoint to SharePoint Migration, you can follow the similar steps to modify or reject these permission settings.

i. Check the box saying "Migrate Permissions" if you wish to migrate the permissions of content from the SourceSharePoint to the Destination SharePoint. Doing this enables the adjacent option to map users, i.e. "Remap Users". Enabling the "Remap Users", in turn, enables the complete section that lets you map the users.

Profiler Settings		1	
pload Settings(SharePoint Migration) General Upload Setting:	Download Settings	Invalid Characters	Invalid Endings
	(File System)	Upload Settings (Public Folder)
Copy Settings Permission Settings			
_			
Migrate Permission			
Remap Users/Groups			
🚨 Add New Mapping 🔠 Add (using csv 📝 Edit	t 🚺 👔 Remove	Save
Source User Name	Destination User	Name	

Figure 99: The section to migrate permissions and map users is enabled.

"Migrate Permissions" option works only when the user of source content is available in the Active Directory of the destination SharePoint. In another case, you have to use the option "Remap Users" to map the users.

ii. Click Add New Mapping button to add a new user mapping.

Remap Users	×
Source User Name: (Domain\UserName)	COD\Administrator
Destination User Name: (Domain\User Name)	TARGET\Administrator
	OK Cancel

Figure 100: Dialog box to map the users

- iii. Add the source and target user names in their respective boxes.
- iv. Click "OK" to add the mapping and bring you back to the migration wizard, where the mapping section displays the currently added user mapping.

💿 Profiler Settings				×
General		gs (File System)	Upload Settings (
Upload Settings(Sha	arePoint Migration)	Download Settings	Invalid Characters	Invalid Endings
✓ Migrate Perm ✓ Remap Users	/Groups	Site Options List/Li		Save
Source User Na		Destination User I		
COD\Administr	ator	TARGET\Administ	rator	
L		ОК	Cancel Apply	Help

Figure 101: User Mapping

0

- v. You can perform the following functions in this section.
- Edit...:: Click it to edit the selected mapping.
- o Remove : Click it to delete the selected mapping.
 - Save : Click it to save the mapping list as a CSV file.
- Add Using CSV : Click it to load the mapping list from an existing CSV file.

3. Site Settings - SharePoint

"Site Options" Tab allows you applying the settings to select what all objects will be migrated while migrating any Site from a Source SharePoint to the Destination SharePoint. Once applied, these settings will be applicable universally for all SharePoint to SharePoint Migration jobs.

General	Upload Settin	gs (File System)	Upload Settings	(Public Folder)	
Jpload Settings(Sha	arePoint Migration)	Download Settings	Invalid Characters	Invalid Endings	
Site Options Migrate Colur Migrate Cont Migrate Web Migrate List a Migrate Feature	ent Types Parts and Libraries ures Collection Features Sites ps ission Levels	Site Options List/Li	brary Options		
Look And Feel					
📝 Migrate Title	and Description				
🔽 Migrate Quick	k Launch				
📝 Migrate Link B	Bar				
🔽 Migrate Tree	View				

Figure 102: Site Options for SharePoint Migration

Here, you can select what objects have to be migrated or excluded during a SharePoint to SharePoint Migration. These settings are divided into following two settings. You can check the content and items to be migrated and uncheck not to be migrated.

- i. <u>Site Options</u>: This section lists the objects that can be migrated during a SharePoint to SharePoint Migration.
- a. Migrate Columns
- b. Migrate Content Types
- c. Migrate Web Parts
- d. Migrate List and Libraries
- e. Migrate Features
- f. Migrate Site Collection Features
- g. Migrate Sub-Sites
- h. Migrate Groups
- i. Migrate Permission Levels
- j. Migrate Workflows
- © 2021 KernelApps Pvt. Ltd.

- ii. <u>Look and Feel</u>: This section lists the user interface elements of a SharePoint Site that will be migrated duringa SharePoint to SharePoint Migration.
- a. Migrate Title and Description
- b. Migrate Quick Launch
- c. Migrate Link Bar
- d. Migrate Tree View

4. List/Library Options – SharePoint

"List/Library Options" Tab allows you applying the settings to select what all objects will be migrated while migrating any list or library from a Source SharePoint Server to the Destination SharePoint. Once applied, these settings will be applicable universally for all SharePoint to SharePoint Migration jobs.

Profiler Settings				
General		gs (File System)	Upload Settings (I	-
Upload Settings(Sha	rePoint Migration)	Download Settings	Invalid Characters	Invalid Endings
Copy Settings P	ermission Settings	Site Options List/Li	brary Options	
List/Library Optio	ns			
Migrate Cor	ntent Types			
📝 Migrate Wo	rkflows			
📝 Migrate Info	oPath Forms			
📝 Migrate Col	umns			
📝 Migrate Vie	NS			
📝 Migrate We	b Parts			
📝 Migrate Sha	arePoint Designer obje	ects		
📝 Migrate Cor	ntents			
		ОК	Cancel Apply	Help

Figure 103: Universal List/Library Migration Options

5.5 Download Settings

This tab contains the universal settings for all download jobs from SharePoint to the File System. Click it to display the following tab.

General	Up	load Settin	gs (File	System)			Upload Settir	ngs (Pub	olic Fold	er)
Jpload Settings(Sha	rePoint Mi	gration)	Dowr	nload Set	tings	Inv	alid Characte	rs I	Invalid I	Ending
Download Content S	Settings:									
🔲 Include <u>V</u> ersio	ns									
) Include <u>A</u>	I Versions									
Include m	nost recen	t versions:	5	×						
Erom:	0	1		To:	0		1			
	(Major)	(Min	ior)	_	(Majo	or)	(Minor)			
📃 Include Sub-S	ites									
Select Filter										
- Date Filter										*
File Creation D)ate	Greater t	han	-	7/6/	2015	7:44:41 PM			
And		Less T	han		7/6/	2015	7:44:41 PM		•	
File Modificatio	on Date	Greater t	han	▼	7/ 6/	2015	7:44:41 PM		•	=
And		Less T	nan		7/6/	2015	7:44:41 PM		•	
-File Filter-			. 1							
File Name		Begins wi	th	Ŧ						
File Extension		Begins wi	th	-						
File Title		Begins wi	th	•						
										Ŧ

Figure 104: Download Content Settings

These settings are visible at the download wizard. You can modify these settings while downloading the content from the Destination SharePoint Server. It contains the following options.

1. Include Versions: If you want to include the versions of the content, then check "Include Versions".

V Include Ver	sion				
 Include 	All version				
Include	most recent	version	5	A	
From	0	1	То	0	1
	(Major)	(Minor)	(Major)	(Minor)

Figure 105: Include file version options

It enables the following options. You can select anyone of them.

i. Include All Versions: Select this option to include all versions of the files.

ii. Include most recent versions: Select how many last versions of the content you want to download.



Figure 106: Include recent versions option

Enter the number of the recent version of the content, which you want to download.

iii. **From:** Select the range of the versions of all content that you have to download. "To" field is also enabled when you enable this option.



Figure 107: Include versions from and to option

Enter the "from" and "to" range of the versions of content, which you want to download. Such as, entering 2.1 (2 in Major and 1 in Minor) in "From" field and 5.1 (5 in major and 1 in minor) in "To" field will download all versions of a file from 2.1 to 5.1.

- 2. Include Sub-Sites: This option is available only when you are trying to download the complete SharePoint Site or Sub-Site containing a subsite. Check this option only when you want to download the content of the subsites as well.
- 3. Set Filter: Use this option to apply the filters on the data being downloaded. Check the box saying "Set Filter" if you want to apply the filter on the content to be downloaded. Selecting this option enables the filter section.

General pload Settings(Sharef	Upload Settings (File System) Point Migration) Download Se		
ownload Content Set			Invalid Endings
Include Versions	-		
Include All V			
_	it recent versions: 5		
From:			
	(Major) (Minor)	(Major) (Minor)	
🔲 Include Sub-Site	:5		
Select Filter			
Date Filter			A
File Creation Dat	Greater than 💌	7/27/2015 5:35:23 PM	
And	Less Than	7/27/2015 5:35:23 PM	
File Modification	Date Greater than 💌	7/27/2015 5:35:23 PM	
And	Less Than	7/27/2015 5:35:23 PM	
File Filter	Begins with 👻		
File Extension	Begins with 🔹		
🔲 File Title	Begins with 👻		

Figure 108: Filters to filter the SharePoint Content while downloading

Here, you can select the following filters.

- a. <u>Date Filter</u>: A date filter allows you sorting the content as per the provided creation and/or modification date. This category contains the following filters.
 - i. <u>File Creation Date</u>: It filters the items as per the provided created date. Enable this filter, select any of the following conditions, and provide a value for it.
 - Greater Than: It shows the items created on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the items following in this date range.
 - Less Than: It shows the items created on the date less than the provided date.
 - Not Equal: It shows the items not created at the provided date.
 - **Equal:** It shows the items created at the provided date.
 - ii. <u>File Modification Date</u>: It filters the content as per the provided modified date. Enable this filter, select any of the following conditions, and provide a value for it.

- Greater Than: It shows the items modified on the date greater than the provided one. Selecting this condition also enables its accompanying option "Less Than" that helps you to bracket the filtering criteria. You can enter one previous date in the "Greater Than" field and one current date in "Less Than" field to list down the items following in this date range.
- Less Than: It shows the items modified on the date less than the provided date.
- **Not Equal:** It shows the items not modified on the provided date.
- **Equal:** It shows the items modified on the provided date.
- b. <u>File Filter</u>: These filters allow you filtering the files based on the attributes such as file name, extension, ID, etc. It contains the following filters.
 - i. <u>File Name</u>: It filters the content as per the provided name. You have to enable this filter, select any of the following conditions, and then provide a value for it.
 - Begins With: Select it to show the items of which name starts with the entered value.
 - Includes: Select it to show the items of which name contains the entered value.
 - **Not Equal:** Select it to show the items having the name not similar to the entered value.
 - **Equal:** Select it to show the items having the name exactly similar to the entered value.
 - i. <u>File Extension</u>: It filters the content as per the provided extension. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the files whose extension starts with the entered value.
 - Includes: Select it to show the files whose extension contains the entered value.
 - Not Equal: Select it to show the files having the extension not similar to the entered value.
 - **Equal:** Select it to show the files having the extension exactly similar to the entered value.
 - ii. <u>File Title</u>: It filters the content as per the provided title. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the items whose title start with the entered value.
 - Includes: Select it to show the items whose title contain the entered value.
 - Not Equal: Select it to show the items having the title not similar to the entered value.
 - Equal: Select it to show the items having the title exactly similar to the entered value.
 - iii. <u>File Content Type</u>: It filters the content as per the provided content type. Enable this filter, select any of the following conditions, and provide a value for it.
 - **Begins With:** Select it to show the items whose type start with the entered value.
 - Includes: Select it to show the items whose type contain the entered value.
 - Not Equal: Select it to show the items having the type not similar to the entered value.

- Equal: Select it to show the items having the type exactly similar to the entered value.
- iv. <u>File ID</u>: It filters the content as per the provided ID Number. Enable this filter, select any of the following conditions, and provide value in numbers for it.
 - Begins With: Select it to show the files whose ID starts with the entered value.
 - Includes: Select it to show the files whose ID contain the entered value.
 - Not Equal: Select it to show the files having the ID not equal to the entered value.
 - Equal: Select it to show the files having the ID equal to the entered value.
- v. <u>File Size (In Kilo Bytes)</u>: It filters the content as per the provided file size in KB. Enable this filter, select any of the following conditions, and provide a value for it.
 - Greater Than: It shows the items having the size greater than the provided value.
 - Less Than: It shows the items having size less than the provided value.
 - Not Equal: It shows the items having the size not equal to the provided value.
 - **Equal:** It shows the items having the size equal to the provided value.
- b. <u>User Filter</u>: Such filters let you filter the content as per the user attributes of the content. This category contains the following filters.
 - i. <u>Who Created</u>: It filters the content as per the user who has created it. Enable this filter, select any of the following conditions, and provide a value for it.
 - Begins With: Select it to show the items of which creator's name starts with the entered value.
 - Includes: Select it to show the items of which creator's name contains the entered value.
 - Not Equal: Select it to show the items having the creator's name not similar to the entered value.
 - Equal: Select it to show the items having the creator's name exactly similar to the entered value.

ii. <u>Who Modified</u>: It filters the content as per the user who has modified it recently. Enable this filter, select any of the following conditions, and provide a value for it.

- **Begins With:** Select it to show the items of which modifier's name start with the entered value.
- Includes: Select it to show the items of which modifier's name contains the entered value.
- **Not Equal:** Select it to show the items having the modifier's name not similar to the entered value.
- **Equal:** Select it to show the items having the modifier's name exactly similar to the entered value.

5.6 Invalid Characters

This tab contains the settings related to the invalid characters, which may be available in the names of content that has to be migrated to the SharePoint. It lists the invalid characters and their suggested replacements.

Profiler Settings General	Upload Settin	as (Eile Sustem)	Upload Settings (ublic Folder)	
Jpload Settings(ShareF			Invalid Characters	oad Settings (Public Folder) Characters Invalid Ending	
Character Mapping:		Download Sectings]		
Illegal Character	Replace With				
~	_				
#	_				
%	_				
8.	_				
*	-				
{	-				
}	_				
1	_				
:	-				
<	-				
>	-				
?	_				
1	-				
+	-				
1	-				
	-				
•	-				
\t	-				
L					
		ок	Cancel Apply	Help	

Figure 109: Invalid Character Tab

The software already has some predefined entries. It allows you performing the following operations here: -

• Elick this icon to add a new invalid character and its replacement using the following dialog box.

🕞 Add Invalid Char	acter	×
Invalid Character:		_
Invaliu Character:	~	_
Replace With:		
	OK Cancel	

Figure 110: Add Invalid Character and its replacement

Enter the invalid character in the first text box and then add its replacement.

Click "OK" to add the new invalid character. It takes you back to the same tab, where the newly added character is visible in the last row.

General	Upload Settings (File System)		Upload Settings (Public Folder)	
pload Settings(ShareF	Point Migration) Download Settings		Invalid Characters Invalid End	
Character Mapping:				0 0
Illegal Character	Replace With	1		
~	-			
#	-			
%	-			
& *	-			
	-			
{ }	-			
7 \	-			
:	-			
. <	-			
>	-			
?	-			
1	_			
+	_			
	_			
	_			
	_			
\t	_			
\diamond	_			

Figure 111: Showing the added invalid character and its replacement

- Click this icon to remove the user-defined invalid character. Please note that you cannot remove the predefined invalid characters.
- Click this icon to edit the selected invalid character using the following dialog box.

🚡 Edit Invalid Char	acter	×
Invalid Character:	\diamond	
Deelees URb.		
Replace With:		
	OK Cancel	

Figure 112: Editing an invalid character

you just have to provide a new value for this invalid character, which will replace it. Click "OK" to save the changes.

5.7 Invalid Ending

This tab contains the settings related to the invalid endings, with which the name of the content items ends. It specifies the invalid endings and their suggested replacements.

General		gs (File System)	Upload Settings (Public Folder) Invalid Endin
Jpload Settings(Share	Point Migration)	Download Settings	Invalid Characters	Invalid Endin
			n	
Invalid Ending Mapp	ing:			🔨 🚺 🥖
Illegal Ending	Replace With	1		
.files	_			
_files	_			
-Dateien	-			
_fichiers	_			
_bestanden	_			
_file	_			
_archivos	_			
-filer	_			
_tiedostot	-			
_pliki	-			
_soubory	_			
_elemei	_			
_ficheiros	_			
_arquivos	_			
_dosyalar	_			
_datoteke	-			
_fitxers	_			
_failid	_			
_fails	_			
_bylos	_			
_fajlovi	_			
_fitxategiak	_			

Figure 113: Invalid Ending Tab

The invalid endings setting work only for the folders, but do not work for the files. The software already has a set of some predefined entries. It allows you performing the following operations here: -

• Click this icon to add a new invalid ending and its replacement using the following dialog box.

🕞 Add Invalid Ending 🗾 💌			
Invalid Ending:	_test		
Replace With:			
		OK Cancel	

Figure 114: Add invalid ending and its replacement

Enter the invalid ending in the first text box and then add its replacement. Click "OK" to add the new invalid ending. It takes you back to the same tab, where the newly added ending is visible in the last row.

General	Upload Settin	igs (File System)	Upload Settings (F	
load Settings(SharePoint Migration)		Download Settings	Invalid Characters	Invalid Ending
Invalid Ending Mappir	ng:			3 🛛 🧪
Illegal Ending	Replace With	1		
.files	_			
_files	_			
-Dateien	_			
_fichiers	_			
_bestanden	_			
_file	_			
_archivos	_			
-filer	_			
_tiedostot	_			
_pliki	_			
_soubory	_			
_elemei	_			
_ficheiros	_			
_arquivos	_			
_dosyalar	_			
_datoteke	_			
_fitxers	_			
_failid	_			
_fails	_			
_bylos	_			
_fajlovi	_			
_fitxategiak	_			
_test	_			

Figure 115: Showing the added invalid ending and its replacement

- Click this icon to remove the user-defined invalid endings. Please note that you cannot remove the predefined invalid endings.
- Click this icon to edit the selected invalid ending with the following dialog box. You just have to provide a new value for this invalid ending, which will replace it. Click "OK" to save the changes.

🕞 Edit Invalid Ending 📃 💌				
Invalid Ending:	_test			
Replace With:				
		OK Cancel		

Figure 116: Editing an invalid ending

K,

You just have to provide a new value for this invalid ending, which will replace it. Click

"OK" to save the changes.

6. Conclusion

After following the steps mentioned above, you can start performing the migration. To know the detailed steps of migration, please check the software help manual that comes preinstalled with the software.

To read more about the software visit: <u>https://www.nucleustechnologies.com/sharepoint-migration/</u>

For software related queries, you can contact us at:

Toll Free

1-866-348-7872 (USA & Canada) 0-808-189-1438 (United Kingdom)

For support or any other queries, drop a mail at

For General Queries: contact@nucleustechnologies.com

For Sales: sales@nucleustechnologies.com

For Technical Support: support@nucleustechnologies.com